



**Measuring Real Property Appraisal Performance  
In Washington's Property Tax System  
2016**



# Table of Contents

	Page
Preface	i
Measuring Real Property Appraisal Performance	1
Summary of Findings	3
Detailed Findings	
Level of Assessment	
Assessment Level by County	5
Assessment Level by Major Class of Property	7
Uniformity of Assessments	
Uniformity by Major Class of Property	10
Coefficient of Concentration	13
Median Percentage Deviation	17
Coefficient of Dispersion	21
Vertical Equity	
Median Ratio by Value Quartile	24
Price-Related Differential	33
Background on Washington’s Assessment System	36
Appendix A – Frequency Distribution of Ratios by County	39

Direct questions and comments regarding this report to  
Department of Revenue, Property Tax Division, Ratio Program:

Mark Studer  
(360) 534-1406  
email: [Markst@dor.wa.gov](mailto:Markst@dor.wa.gov)

February 7, 2017



**Measuring Real Property Appraisal Performance  
In Washington's Property Tax System  
2016**



# **Measuring Real Property Appraisal Performance In Washington's Property Tax System 2016**

## **Preface**

This report is an evaluation of the performance of the property tax appraisal system in Washington. It is fairly technical in nature. It uses statistics related to assessed values and market values. The report uses charts of these statistics to illustrate how well the appraisal system is working in Washington. This preface answers some general questions related to property taxes, assessed values, and appraisal performance.

### **How important are property taxes in public finance in Washington?**

The state government and many local governments including school districts, cities, counties, fire districts, library districts, and hospital districts impose property taxes. Property taxes are the second largest source of state and local taxes (about 27 percent of the total). Only state and local sales taxes have a larger share. Property taxes are more important for local governments than for the state government. They make up about 60 percent of local government tax revenue.

### **Who is responsible for setting assessed values for property tax purposes?**

County assessors are responsible for assigning assessed values of most properties within their respective counties. Multi-county utility properties are valued by the Department of Revenue. Utility values only represent about 2 percent of the total value of real and personal property in the state. These assessed values are used for all property taxes imposed by the various jurisdictions.

### **How often are assessed values updated?**

State law requires annual revaluation of properties. Counties update property values annually based on appropriate statistical data. State law requires properties to be physically inspected at least once every six years.

### **What is the valuation standard for assessed values?**

Property is assessed and taxed at market value. In Washington statutes, market value is called true and fair value (RCW 84.40.030).

## **How is market value determined?**

Market value is the price a buyer of property, willing but not obligated to buy, and a seller of property, willing but not obligated to sell, would agree on after taking into consideration all uses to which the property is adapted and might in reason be applied (WAC 458-07-030). There are three approaches used to estimate market value: the sales approach (comparable sales), the cost approach (replacement cost), and the income approach (capitalized income potential).

Assessor offices utilize a mass appraisal process to value property. Mass appraisal is the process of valuing a group of properties. This approach is sometimes contrasted with more familiar single-property appraisals (sometimes called fee appraisal). Fee appraisal is the process of valuing a particular property. Both are systematic approaches to establishing property value. However, they differ in scope and method of evaluation. Mass appraisal systems are designed to value many properties and are evaluated by statistical methods. Single-property appraisals are concerned with one property and are evaluated by a comparison to comparable properties.

## **What discretion does the assessor have in setting assessed values?**

State law is very specific that property is to be assessed at market value (true and fair value), so the assessor has no discretion to choose a different assessment standard.

Since most properties do not sell regularly, determining market value for a particular property is not always an easy process and disagreements may arise about the correct market value. The state law is clear that the comparable sales, replacement cost, and the capitalization of income approaches are the proper methods to estimate market value. However, appraisers using these methods may come to different conclusions about a property's market value. In these situations, state law allows property owners to appeal the assessor's estimate of market value to the county and state boards of equalization as well as the court system.

## **Are there any exceptions to assessing at market value?**

Yes. The state constitution authorizes, and current law provides, that the true and fair value of farm and agricultural land, forest lands, and open space lands may be based on their current use rather than their market value.

## **Why check on appraisal performance?**

Property taxes are allocated to property owners in proportion to the value of their property. Uniform and accurate assessments are the foundation of fair property taxation. This principle is established in the Washington Constitution Article VII, Section 1 states, "All taxes shall be uniform upon the same class of property within the territorial limits of the authority levying the tax..."



## **What method is used to measure appraisal performance?**

This report uses the ratio study method to measure appraisal performance. A ratio study is a statistical analysis that compares the assessed value established by the assessor's office with the market value of the property. It is called a ratio study because the assessed value is divided by the market value and the resulting ratio is used for evaluation. In ratio studies, market value is generally established by observing the price for which a property sells in the open market.

## **Where do the data come from for this ratio study?**

The assessed values are set as of January 1 of each year. Property sales that occur between May 1 of the year preceding the assessment year and April 30 of the assessment year provide market sales information used in the analysis. In addition, where insufficient sales occur, the Department of Revenue does appraisals independent of the county assessor's valuation. These sales and appraisals are compared to the assessed values established by the assessor's office.

## **What is considered good appraisal performance?**

Mass appraisal systems are generally judged on the basis of the level of assessment and the uniformity of assessment. Level of assessment refers to how close assessed values are to the legally required assessment standard. Uniformity of assessment refers to how closely different properties are assessed in relation to each other.

Other than requiring assessment at 100 percent of market value, Washington has not established appraisal performance standards in state law or by administrative rule. However, the International Association of Assessing Officers (IAAO) suggests performance standards for the level of assessments and the uniformity of assessments. This report uses IAAO standards as benchmarks to evaluate Washington's performance.

## **What are the assessment performance standards?**

There are a number of statistics used by IAAO to judge assessment performance. The two most important are discussed in this preface (see the full report for a discussion of others).

For level of assessment, the IAAO suggests looking at the median ratio. As stated above, the ratio for a property is the assessed value divided by the market value. If the assessed value is greater than the market value, the ratio is greater than one. If the assessed value is less than the market value, then the ratio is less than one. When the ratios for all the properties are arrayed from the smallest to the largest, the ratio in the middle is the median ratio. The IAAO standard requires the median ratio to fall in the range of 0.90 to 1.10.

For uniformity of assessment the IAAO looks at a statistic called the coefficient of dispersion (COD). It measures, on average, how far each property's ratio deviates from the median ratio. It is expressed as a percentage of the median. A smaller COD indicates more uniform assessment. Residential property should have a COD between 5-15 percent and nonresidential property should have a COD between 5-20 percent.

## **How well did Washington do?**

For assessment year 2016, on a statewide basis, Washington satisfied the IAAO standards for median ratio (statewide median ratio = 0.94). The state met the standard for the coefficient of dispersion for residential property (COD = 11 percent) and for nonresidential property (COD = 19 percent).

At the county level, 33 counties had median ratios within the IAAO standard of 0.90 to 1.10. Six counties were not within the IAAO standard.

Thirty-two counties had a residential property CODs that met IAAO standard of between 5-15 percent. Seven counties had CODs for residential properties greater than 15 percent.

Twenty-seven counties were within the IAAO suggested COD range for nonresidential property of 5-20 percent. Twelve counties had CODs for nonresidential properties above 20 percent.

For more information, see Summary of Findings (page 3) and Table 1 (page 4).

# **Measuring Real Property Appraisal Performance In Washington's Property Tax System 2016**

February 7, 2017

Mark Studer  
Department of Revenue  
Property Tax Division

This report is an evaluation of assessment practices in the Washington property tax system. The report is based on 2016 assessment year data and only covers real property. It is a continuation of similar reports covering each assessment year from 1997 to 2015.

## **Property Tax Assessment Performance**

Assessment systems are generally judged on the basis of the level of assessment and the uniformity of assessment.

*Level of assessment* refers to how close assessed values are to the legally required assessment standard. Washington statutes specify the assessment standard for the property tax system. Except for farm, forest, and other open space lands, the standard of assessment is 100 percent of market value.

*Uniformity of assessment* refers to how close the assessments are in relation to each other. Uniformity is important because property taxes are distributed in proportion to assessed value. If there is a low degree of uniformity, then some properties are paying more than their appropriate share of property taxes while other properties with similar market values are paying less than their appropriate share.

## **Ratio Study Method**

This report uses the ratio study method to determine the level of assessments and uniformity of assessments. The ratio study is the most common evaluation method used for mass appraisal performance. A ratio study compares the assessed value established by the assessment authority with the market value of the property. It is called a ratio study because the assessed value is divided by the market value and the resulting ratio is used for evaluation. Market value is generally established by observing the price for which a property sells in the open market.

When the assessed value is greater than the market value, the ratio is greater than one. When the assessed value is less than the market value, the ratio is less than one. Properties with ratios greater than one are over-assessed and properties with ratios less than one are under-assessed. In practice, average or median assessment ratios are typically less than one. For example, the median assessment ratio for Washington State in 2016 was 0.94. This means that half the properties had a ratio of assessed value to market value greater than 0.94 and half the properties had a ratio of assessed value to market value less than 0.94.

## **Why is the Ratio Important?**

To illustrate the importance of the ratio, consider an example of two properties with a market value of \$250,000. Assume one property is assessed at 90 percent of market value (\$225,000) and the other at 110 percent of market value (\$275,000). At the state average tax rate of \$11.47, the first property has a tax bill of \$2,581 and the second property has a tax bill of \$3,154 – over a 20 percent difference.

## **Standards of Review**

Other than requiring assessment at 100 percent of market value, Washington has not established appraisal performance standards in state law or by administrative rule. However, the International Association of Assessing Officers (IAAO) publishes a standard on ratio studies. The IAAO Standard on Ratio Studies<sup>1</sup> suggests performance standards for the level of assessments and the uniformity of assessments. The IAAO standards are advisory and compliance is voluntary. This report uses IAAO standards as benchmarks to evaluate Washington's performance.

---

<sup>1</sup>Standard on Ratio Studies, International Association of Assessing Officers, April 2013

## **Summary of Findings**

### ***Level of Assessment***

The IAAO standard suggests that the level of assessment be evaluated by using the median assessment ratio for each jurisdiction being reviewed. The IAAO standard states that the median ratio should be between 0.90 and 1.10.

When evaluating residential and nonresidential property together, 33 counties are within the IAAO standard for overall county assessment level. Six counties have level of assessment that are not within IAAO standards at less than .90.

When evaluating residential and nonresidential property separately; for residential property, 33 counties are within IAAO standards for the assessment level and six are not. For nonresidential property, 34 counties are within IAAO standards for the assessment level, and five are not.

### ***Uniformity of Assessments***

The IAAO standard suggests that median ratios for residential and nonresidential properties fall within 5 percent of the median ratio for all properties. All 39 counties satisfy this test for residential property. Thirty-seven counties satisfy this test for nonresidential property while two do not.

The coefficient of dispersion (COD) is the most commonly used measure of appraisal uniformity. It measures, on average, how far each property's ratio is away from the median ratio. It is expressed as a percentage of the median. A smaller COD indicates more uniform assessment.

The IAAO standard suggests that residential properties have a CODs between 5-15 percent. Thirty-two counties meet this standard while seven counties have CODs for residential properties greater than 15 percent. The IAAO suggested CODs for nonresidential property is between 5-20 percent. Twenty-seven counties are within this range while twelve counties are above 20 percent.

Another aspect of assessment uniformity is the treatment of properties of different values. The price-related differential (PRD) is a statistic used to measure whether high-value properties and low-value properties are assessed at the same ratio to market value. The IAAO Standard on Ratio Studies suggests that the PRD should fall between 0.98 and 1.03. Thirty counties have PRDs within this range while nine counties have PRDs above 1.03.

Table 1 summarizes the results.

Table 1

Measuring Real Property Appraisal Performance								
2016								
County	Level of Assessment			Uniformity of Assessment				
	Overall County Assessment Ratio Between 0.90 to 1.10	Residential Property Assessment Ratio Between 0.90 to 1.10	Nonresidential Property Assessment Ratio Between 0.90 to 1.10	Residential Property within 5% of County Median	Nonresidential Property within 5% of County Median	Coefficient of Dispersion for Residential Property Between 5-15%	Coefficient of Dispersion for Nonresidential Property Between 5-20%	Price Related Differential Between 0.98 and 1.03
Adams	X	X	X	X	X	X	X	X
Asotin	X	X	X	X	X	X		
Benton			X	X	X	X	X	X
Chelan	X	X		X	X	X	X	X
Clallam	X	X	X	X	X	X		
Clark	X	X	X	X	X	X	X	X
Columbia	X	X	X	X	X	X	X	X
Cowlitz	X	X	X	X	X			
Douglas	X	X	X	X	X	X		X
Ferry	X	X	X	X	X		X	X
Franklin	X	X	X	X	X	X	X	X
Garfield	X	X	X	X	X	X	X	X
Grant	X	X	X	X	X	X		
Grays Harbor	X	X	X	X	X	X		X
Island	X	X	X	X	X	X	X	X
Jefferson	X	X	X	X	X	X	X	X
King	X	X	X	X	X	X	X	
Kitsap	X	X	X	X	X	X	X	X
Kittitas				X	X	X	X	X
Klickitat	X	X	X	X	X	X	X	X
Lewis	X	X	X	X	X	X		X
Lincoln				X	X			X
Mason	X	X	X	X	X			
Okanogan	X	X	X	X	X			X
Pacific	X	X	X	X	X	X	X	X
Pend Oreille	X	X	X	X	X	X	X	
Pierce	X	X	X	X	X	X	X	X
San Juan	X	X	X	X		X	X	
Skagit	X	X	X	X	X	X	X	X
Skamania	X	X	X	X	X		X	
Snohomish	X	X	X	X	X	X	X	X
Spokane	X	X	X	X	X	X	X	X
Stevens	X	X	X	X	X	X	X	X
Thurston	X	X	X	X	X	X	X	X
Wahkiakum	X	X	X	X	X	X	X	X
Walla Walla	X	X		X		X	X	X
Whatcom				X	X	X	X	X
Whitman			X	X	X			X
Yakima			X	X	X	X		X
	33	33	34	39	37	32	27	30
	** Indicates CODs below 5. CODs below 5 could be an indication that selling properties are not being treated similarly to non-selling properties.							
	A county is assumed to satisfy the IAAO standard for level of assessment unless there is a smaller than 5% chance that the county satisfies the standard.							
	6	6	5	0	2	7	12	9

## DETAILED FINDINGS

### Level of Assessment

According to the IAAO Standard on Ratio Studies, the median is the appropriate measure of central tendency for monitoring appraisal performance. The IAAO standard states that the median ratio for all assessments in a jurisdiction (the overall level of assessment) should be between 0.90 and 1.10.

The median ratio for the state is 0.94. This means that half the properties have a ratio of assessed value to market value greater than 0.94 and half the properties have a ratio of assessed value to market value less than 0.94. This is within the IAAO standard of 0.90 to 1.10.

### *Assessment Level by County*

The median ratio by county is shown in Chart 1. The median ratios range from 0.85 in Kittitas and Whitman Counties to 1.01 in Wahkiakum County. Seven counties have median ratios below 0.90. Thirty-two counties have ratios between 0.90 and 1.10.


Since this study is based on a sample and not the universe of properties, it is not possible to say with certainty that the study's median ratio estimate is the same as the true median ratio for a county. In other words, there is some probability that the true median ratio for all properties in a county would be within the suggested range of 0.90 to 1.10, even if the study estimate was outside this range. For the seven counties with estimated ratios below 0.90, a standard statistical test (the binomial test) was performed to determine the chance that the true median ratio was 0.90 or greater. The binomial test supports the hypothesis that the median ratio is outside the 0.90 to 1.10 for Benton, Kittitas, Lincoln, Whatcom, Whitman, and Yakima counties. Okanagan County has a median ratio outside the suggested range of 0.90 to 1.10, but the statistical test indicates there is some possibility (Prob > 5 percent) that the true median ratio may be within this range and therefore within the IAAO standards. Therefore, it appears that 33 counties satisfy the IAAO standard for the assessment level and six do not.

# CHART 1

## 2016 Median Ratio

Ratio of Assessed Value to Sales Value

*The median ratio should be between 0.90 and 1.10*





## **Level of Assessment**

### *Assessment Level by Major Class of Property*

The IAAO standard states that assessment ratios for each major class of property should be between 0.90 and 1.10. Data was grouped by residential and nonresidential property and a median ratio was calculated for each class of property. On a statewide basis, the median ratio for residential property was 0.94 and the median ratio for nonresidential property was 0.94.

The median ratios for residential and nonresidential property by county are listed on Chart 2 and Chart 3. The ratio for residential property ranges from a low of 0.83 in Kittitas and Whitman Counties to a high of 1.04 in Ferry County. The median ratio for nonresidential property ranges from a low of 0.83 in Lincoln County to a high of 1.04 in Columbia County.

Seven counties have sample residential median ratios outside of the IAAO suggested standard of 0.90 to 1.10. The binomial test supports the hypothesis that the residential median ratio is outside the 0.90 to 1.10 range for Benton, Kittitas, Lincoln, Whatcom, Whitman, and Yakima Counties. Okanogan County had a residential median ratio outside the suggested range of 0.90 to 1.10, but the statistical test indicates there is some possibility (Prob > 5 percent) that the true residential median ratio may be within the suggested range and therefore within the IAAO standards.


Eight counties have sample nonresidential median ratios outside the IAAO suggested standard of 0.90 to 1.10. The binomial test supports the hypothesis that the nonresidential median ratio is outside the 0.90 to 1.10 for Chelan, Kittitas, Lincoln, Walla Walla, and Whatcom Counties. Benton, Douglas, and Grant Counties have a nonresidential median ratio outside the suggested range of 0.90 to 1.10, but the statistical test indicates there is some possibility (Prob > 5 percent) that the true nonresidential median ratio may be within this range and therefore within the IAAO standards.

In summary, thirty-three counties satisfy the IAAO standard for the assessment level of residential property and six do not. Thirty-four counties satisfy the IAAO standard for the assessment level of nonresidential property and five do not.

## CHART 2

### 2016 Median Ratio for Residential Property Ratio of Assessed Value to Sales Value


**The median ratio should be between 0.90 and 1.10**



### CHART 3

## 2016 Median Ratio for Nonresidential Property Ratio of Assessed Value to Sales Value

**The median ratio should be between 0.90 and 1.10**



## Uniformity of Assessments

This report looks at the uniformity of assessments in three ways. First, the median ratio for residential property and the median ratio for nonresidential property are compared to the overall median ratio for the county. The IAAO standard recommends that the ratio for each class of property be within 5 percent of the overall level of assessment for the county.

The second test of uniformity measures the spread of the ratios of assessed value to market value. This report uses three methods to describe this spread: the coefficient of concentration, the median percentage deviation, and the coefficient of dispersion. The definitions of these statistics will be explained in the sections below. The IAAO Standard on Ratio Studies does not contain suggested performance standards for the median percentage deviation or the coefficient of concentration. They are included in this report because they provide useful illustrations of uniformity. The IAAO performance standard for the coefficient of dispersion (the average deviation from the median expressed as a percent of the median) is 5-15 percent for residential properties and 5-20 percent for income properties.

The third test of uniformity measures vertical equity in assessments. Vertical equity refers to the consistency at which lower valued properties are assessed compared to higher valued properties. For a graphical view of vertical equity, the data are sorted from the lowest market value property to the highest market value property. The data are then divided into five equal groups. The median ratio is calculated for each group and graphed (See Chart 9). The IAAO standard suggests a statistic called the price-related differential (explained on page 27) be used to measure vertical equity. The price-related differential is calculated and compared to the IAAO standard.

### *Uniformity by Major Class of Property*

Chart 4 shows the percentage difference between the countywide median ratio and the median ratios for residential and nonresidential properties for each county. All 39 counties have a sample residential median property ratio that is within 5 percent of the county median ratio. Thirty-seven counties have a sample nonresidential median ratio within 5 percent of the county median ratio.

Four counties (Grant, San Juan, Walla Walla, and Whitman) have sample nonresidential median property ratios that are not within 5 percent of the county median ratio. After performing the binomial test, all counties except San Juan and Walla Walla have percent differences close enough to 5 percent to conclude that they fall within the IAAO standard for nonresidential properties.


On this basis, all 39 counties meet the IAAO standard for having median ratios for residential property within 5 percent of the countywide median ratio. Thirty-seven counties meet the IAAO standard for nonresidential properties.

# CHART 4

2016

Percent Difference between Residential and Nonresidential  
Median Ratios and the County Median Ratio

**The difference should be within 5 percent of countywide median ratio**




# CHART 4 (Continued)

2016

Percent Difference between Residential and Nonresidential  
Median Ratios and County Median Ratio

**The difference should be within 5 percent of countywide median ratio**



## **Uniformity of Assessments**

### *Coefficient of Concentration*

Each property in the assessment jurisdiction is assessed at a different ratio to market value. As explained above, half the properties have a ratio greater than the median ratio and half the properties have a ratio below the median ratio. If the ratios for properties that are above and below the median are close to the median ratio, then one can conclude that the assessments are uniform. If they are not close, then the assessments are not uniform.

The coefficient of concentration measures the percentage of properties with ratios that fall close to the median ratio. To illustrate the spread of assessments, the percentage of properties that fall between 15 percent below the median ratio and 15 percent above the median ratio is calculated. A large coefficient of concentration means that most properties are assessed close to the median.

Chart 5 shows the results of this calculation. The coefficient of concentration for the state is 72 percent. This means that 72 percent of the properties have ratios of assessed to market value within plus or minus 15 percent of the statewide median ratio.


The coefficient of concentration is also calculated for each county. Each county's coefficient is calculated in relation to the county's median ratio. These coefficients, range from a low of 41 percent in Whitman County to a high of 90 percent in Columbia County.

# CHART 5

## 2016 Coefficient of Concentration

Percent of Properties with Ratios within 15 percent of Median Ratio

**Large COC values indicate more properties are within 15% of median**





### *Concentration of Ratios within 2% of the Median*

As mentioned above, a high concentration of ratio around the median is an indication of good uniformity. However, a higher than expected concentration around the median can be an indication of a non-representative sales sample. The IAAO standard is that less than 32 percent of the ratios should fall within 2 percent of the median.<sup>2</sup>

Chart 5-A shows the results of this calculation. Statewide, 14 percent of the ratios fall within plus or minus 2 percent of the statewide median.

The concentration of ratios within 2 percent of the median is also calculated for each county. Each county's concentration is calculated in relation to the county's median ratio. These concentration of ratios within 2 percent of the median, range from a low of 3 percent in Skamania County to a high of 36 percent in Columbia County.

The results of this analysis indicate that 38 of 39 counties have less than 32 percent of their ratios within 2 percent of the median. Columbia County at 36 percent is the only county not within the IAAO recommended range.

---


<sup>2</sup> Standard on Ratio Studies, International Association of Assessing Officers, April 2013

# CHART 5A

## 2016 Concentration of Ratios Within 2% Median

Percent of Ratios within 2 percent of Median Ratio

**IAAO Standard is Less than 32%**



## **Uniformity of Assessments**

### *Median Percentage Deviation*

The median percentage deviation is another measurement of how close properties are assessed to one another. It is calculated by first taking the absolute value of the difference between the ratio for each property and the median ratio; this difference is called the "deviation." The median deviation is the amount for which half the properties have a smaller deviation and half have a larger deviation. Dividing this "typical" deviation by the median ratio expresses the result as a percent. The smaller the median percentage deviation, the closer the assessments of properties are to one another.

The median percentage deviation for the state is 8 percent. One way of interpreting this number is that the "typical" property is assessed at a ratio to market value that is different from the state median property by 8 percent.


Chart 6 shows the median percentage deviation for real properties within each county. The median percentage deviation ranges from a low of 4 percent in Columbia County to a high of 18 percent in Okanogan and Whitman Counties.

On a statewide basis, the median percentage deviation for residential property is 7 percent and for nonresidential property, it is 13 percent. Chart 7 shows the results for residential and nonresidential property by county. Generally, the median percentage deviation is greater for nonresidential property. For residential property, the median percentage deviation ranges from a low of 3 percent in Columbia County to a high of 17 percent in Whitman County. The lowest median percentage deviation for nonresidential property is 5 percent in Spokane County and the highest is 24 percent in Clallam County.

# CHART 6

## 2016 Median Percentage Deviation


*The smaller the MPD the closer properties are assessed to each other*



## CHART 7


### 2016 Median Percentage Deviation

*The smaller the MPD the closer properties are assessed to each other*



## CHART 7 (Continued) 2016 Median Percentage Deviation

*The smaller the MPD the closer properties are assessed to one another*



## Uniformity of Assessments

### *Coefficient of Dispersion*

The IAAO Standard on Ratio Studies publishes uniformity standards using the coefficient of dispersion (COD). The COD is calculated by taking the difference between the ratio for each property and the median ratio (ignoring the positive and negative signs), adding these differences, and dividing by the number of properties. This determines the average deviation from the median. This amount is divided by the median to express the result as a percent of the median; this result is the COD. For example, a COD of 15 percent means that properties have ratios that on average deviate by 15 percent from the median ratio.

The COD and the median percentage deviation are calculated in a similar manner. However, the median percentage deviation uses the median deviation while the COD uses the average deviation. In calculating the median percentage deviation it only matters whether a property's ratio is above or below the median. How far it is above or below the median does not matter. But when calculating the average deviation, the amount the property's ratio is above or below the median matters. Ratios that are far above or below the median have more influence than properties with ratios near the median. This means the COD will tend to be larger than the median percentage deviation.

Chart 8 shows coefficients of dispersion for residential and nonresidential properties by county. The IAAO Standard on Ratio Studies suggests that residential properties have a coefficient of dispersion in the range of 5-15 percent. Twenty-eight counties have CODs for residential properties between 5-15 percent. Eleven counties are above 15 percent. The IAAO suggested coefficient of dispersion for nonresidential property is between 5-20 percent. Nineteen counties have nonresidential CODs between 5-20 percent and twenty counties are above 20 percent.

Since this study is based on a sample, it is possible that some of the counties with CODs close to the IAAO standards may, with some probability, satisfy the IAAO standard. The coefficient of dispersion does not lend itself to straightforward statistical tests. However, a confidence interval for the COD can be constructed by using a repeat sampling or "bootstrap" methodology.<sup>3</sup> Under this methodology repeated samples are drawn from the original data and CODs are calculated for each sample. These calculated CODs are distributed from the lowest to the highest. The confidence interval is then constructed so that the lower limit of the interval is the value at which only 5 percent of the calculated CODs in the distribution are smaller. The hypothesis that the IAAO standard cannot be rejected, if the confidence interval contains the 5-15 percent COD standard for residential property or 5-20 percent COD standard for nonresidential property.

After conducting the repeat sampling procedure it appears that four counties (Adams, Asotin, San Juan, and Wahkiakum) with nominal residential CODs above 15 percent are close enough to satisfy the IAAO standard for COD on residential property. Seven counties with nominal nonresidential CODs above 20 percent (Adams, Chelan, Ferry, Franklin, Kitsap, Kittitas, and San Juan) are close enough to satisfy the IAAO standard for COD for nonresidential property. In conclusion, 27 counties met the standard for residential property, and 30 counties met the standard for nonresidential property.


---

3. See Efron B., and Tibshirani R. (1993), *An Introduction to the Bootstrap*, Chapman and Hall.

## CHART 8

### 2016 Coefficient of Dispersion

*The COD for residential property should be between 5–15%  
The COD for nonresidential property should be between 5–20%*






## CHART 8 (Continued)

### 2016 Coefficient of Dispersion

*The COD for residential property should be between 5–15%  
The COD for nonresidential property should be between 5–20%*



## **Uniformity of Assessments**


### *Vertical Equity in Valuation*

The next two sections look at the question of whether lower value properties and higher value properties are assessed at the same ratio to market value.


### *Median and Mean Ratio by Value Quintile*

This section employs a graphical method to view vertical equity. The data are sorted from the lowest market value property to the highest market value property. The data are then divided into five groups of equal numbers of properties (quintiles). The median and mean ratio is calculated for each quintile. The results are displayed in Chart 9 (median) and Chart 9-A (mean). The closer the quintile ratios are to one another the better the uniformity.


**CHART 9**  
**2016**  
**Median Ratios of**  
**Properties divided into Sales Value Quintiles**




**CHART 9 (continued)**  
**2016**  
**Median Ratios of**  
**Properties divided into Sales Value Quintiles**




**CHART 9 (Continued)**  
**2016**  
**Median Ratios of**  
**Properties divided into Sales Value Quintiles**




**CHART 9 (Continued)**  
**2016**  
**Median Ratios of**  
**Properties divided into Sales Value Quintiles**



**CHART 9 (Continued)**  
**2016**  
**Median Ratios of**  
**Properties divided into Sales Value Quintiles**




**CHART 9A**  
**2016**  
**Mean Ratios of**  
**Properties divided into Sales Value Quintiles**







**CHART 9A (continued)**  
**2016**  
**Mean Ratios of**  
**Properties divided into Sales Value Quintiles**




**CHART 9A (Continued)**  
**2016**  
**Mean Ratios of**  
**Properties divided into Sales Value Quintiles**



**CHART 9A (Continued)**  
**2016**  
**Mean Ratios of**  
**Properties divided into Sales Value Quintiles**



**CHART 9A (Continued)**  
**2016**  
**Mean Ratios of**  
**Properties divided into Sales Value Quintiles**



## Uniformity of Assessments

### *Price-Related Differential*

The price-related differential (PRD) is a statistic used for measuring the relationship between assessment levels for low value property and high value property. The PRD is calculated by dividing the average ratio by the weighted average ratio.

$$\text{Price-related differential} = \text{average ratio} / \text{weighted average ratio}$$

The average ratio is the sum of the individual ratios divided by the number of properties. This is called an unweighted average. In the calculation of the weighted average ratio, each ratio is counted in proportion to the value of the property. So the ratio of a property with twice the value of another will count twice as much in the weighted average. This means that properties with higher values contribute more to the calculation of the weighted average ratio than do properties of lower value.

If higher valued properties are assessed at a lower ratio to market value, the weighted average will be less than the unweighted average. In this case, the PRD will be greater than one. This result is called assessment regressivity. The PRD will be close to one if higher and lower valued properties are assessed at the same ratio to market value. If higher valued properties are assessed at a higher ratio to market value, then the weighted average will be greater than the unweighted average and the PRD will be less than one. This is called assessment progressivity.

The IAAO Standard on Ratio Studies suggests that the PRD should fall within the range of 0.98 to 1.03. Chart 10 shows the results of the PRD calculations by county.

The following 16 counties have PRDs greater than 1.03: Asotin, Clallam, Clark, Cowlitz, Douglas, Ferry, Grant, Grays Harbor, King, Kittitas, Lewis, Mason, Okanogan, Pend Oreille, San Juan, and Skamania. For these counties the PRD indicates that higher value properties are assessed at lower ratios to market value than are lower value properties. Adams County has a PRD less than .98 indicating the higher value properties are assessed at higher ratios to market value than are lower value properties.

The PRD uses information from all the observations in the data set. The PRD can be influenced by observations with extreme ratios, especially if the sample size is small. So it is appropriate to conduct statistical tests to support the PRD calculations before concluding that a county does not meet the IAAO standard. Since this study is based on a sample, it is possible that some of the counties with PRDs close to the IAAO standards may, with some probability, satisfy the IAAO standard.

The PRD does not lend itself to straightforward statistical tests. However, a confidence interval for the PRD can be constructed by using a repeat sampling or “bootstrap” methodology. Under this methodology repeated samples are drawn from the original data and PRDs are calculated for each sample. These calculated PRDs are distributed from the lowest to the highest. The confidence interval is then constructed so that the lower and upper limits of the interval are the value at which only 5 percent of the calculated PRDs in the distribution are outside the range. The

hypothesis that the IAAO standard is met cannot be rejected if the PRD standard of .98 to 1.03 is contained within the confidence interval.


After conducting the repeat sampling procedure, it appears that eight counties (Adams, Clark, Douglas, Ferry, Grays Harbor, Kittitas, Lewis, and Okanogan) with nominal residential PRDs outside the suggested range of .98 to 1.03 are close enough to satisfy the IAAO standard for PRD.

Therefore, it appears that 30 counties satisfy the IAAO standard, and nine counties (Asotin, Clallam, Cowlitz, Grant, King, Mason, Pend Oreille, San Juan, and Skamania Counties) have PRDs outside the suggested range.

# CHART 10

## 2016 Price – Related Differential

*The PRD should be between 0.98 and 1.03*



## **Some Background on Washington's Assessment System**

County assessors are responsible for determining the market value of properties within their respective counties. However, multi-county utility properties are valued by the Department of Revenue.

State law requires annual revaluation of assessed values. Counties update property values annually based on appropriate statistical data. State law only requires properties to be physically inspected once every six years.

### **Data**

The data on assessed values and market values used in this report to evaluate the performance of the state's property tax appraisal system come from the valid sales reports given to the Washington Department of Revenue by each county. The data are for the 2016 assessment year (January 1, 2016 valuation date). Annually the Washington Department of Revenue conducts a study to estimate the relative market value of each county. These estimates are used to equitably apportion the state property tax among the counties. The Department of Revenue uses a ratio study technique to estimate the market value of each county.

The statistics used in the Department of Revenue ratio study are different than those of this report since the purpose is not the same. The purpose of the Department of Revenue ratio study is to estimate the market value of each county whereas the purpose of this study is to evaluate assessment performance. The most useful statistic for estimating overall county market value is the average ratio weighted by the value of the properties. In contrast, the standard statistic used for evaluation of assessment performance is the median ratio.

The data available for this study include 97,401 real property parcels which were sold during the study period. The sales data were screened to obtain valid transactions<sup>4</sup> and the sales are coded by land use classification. In addition to sales price information, the data set includes 42 independent real property appraisals performed by the Department of Revenue. These appraisals were done in land use classifications in counties with insufficient sales.

This study is based on a sample of all real properties subject to property tax in Washington. Since it is a sample, rather than the entire universe of properties, the study is subject to the usual problems associated with samples. The statistics developed from the sample are subject to some error. However, with a sample as large as 97,443 observations, these errors should be quite small. For statistics calculated for counties or use classes within a county, the error is larger than for the statewide statistics.

Another source of error or bias comes from the way in which the sample is drawn. The primary source of data is the real estate excise tax affidavit that is filed when properties sell. Ideally, when a statistician develops a sample, each property will have an equally likely chance of being included in the sample. This is not the case here. Except for the 42 appraisals, properties included

---

<sup>4</sup>Washington Administrative Code section 458-53-080 lists the reasons a sale would be excluded from the data.



in the sample are only those that sold during the study period. This can bias the results of the study. For example, if the assessing jurisdiction is more likely to revalue properties that sell, then the study results will show a higher and more uniform level of assessment than is true for all properties (including those that have not sold).

**What this report does not include**

This report does not include data on personal property. It also does not include data on certain classes of real property: tax exempt properties, timber and timber land, homes eligible for the senior property tax relief program, multi-county utility properties assessed by the Department of Revenue, and current use farm land.



## Appendix A

### Frequency Distribution of Ratios by County

Washington has approximately 3.05 million real property parcels. Due to the high volume of assessments, county assessors must use mass appraisal techniques to determine assessed values. Each property has unique characteristics and it is not possible for assessing officials to fully capture the influence of all these characteristics on the market value. As a result, the ratio of assessed value to market value will vary from property to property. Generally, most properties will have similar ratios of assessed to market value. However, some properties will have ratios to market value that differ somewhat from the typical ratio. If most ratios are close together with a few ratios falling some distance from the center, then a picture of the distribution of ratios will look somewhat like the familiar bell curve.

Appendix A contains a frequency distribution of ratios for the state and each county. These frequency distribution charts show the relative number of properties that have ratios within specified intervals. The first chart in Appendix A shows the frequency distribution of ratios on a statewide basis. A chart for each county follows.


The vertical axis on each chart is divided into ratio intervals. Each interval is .05 wide. For example, the bar centered on 0.90 represents properties with ratios between 0.875 and 0.925. The horizontal axis on each chart shows the percentage of properties that fall within the interval. So, the bar labeled 0.95 on the chart for the state distribution indicates that 18.71 percent of the properties have ratios between 0.925 and 0.975.

Each chart includes the number of observations in the analysis for each county. The counties with a large number of observations generally have symmetric distributions centered on the median ratio for the county. However, the distributions for the smaller counties are based on far fewer observations. Their distributions are typically not as well structured as those for the larger counties.

These small sample sizes present two problems. First, for purposes of this analysis, a small sample size makes it difficult to tell if a county satisfies or fails to satisfy the IAAO standards when the nominal calculation of the median, coefficient of dispersion, or other statistic is close to the IAAO standard. Second, good arms-length sales are the best indication of a property's market value. Appraisers in counties lacking a supply of qualified sales face a significant challenge when estimating market values for all properties in a county.


# 2016 Assessment Year

## Frequency Distribution of Ratio of Assessed Value to Sales Value Distribution for the State




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Adams County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Asotin County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Benton County**



The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.


**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Chelan County**



The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.




**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Clallam County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Clark County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Columbia County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Cowlitz County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year**  
**Frequency Distribution of Ratio of Assessed Value to Sales Value**  
**Distribution for Douglas County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
Frequency Distribution of Ratio of Assessed Value to Sales Value  
Distribution for Ferry County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Franklin County**



The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.


**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Garfield County**



The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.




**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Grant County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year**  
**Frequency Distribution of Ratio of Assessed Value to Sales Value**  
**Distribution for Grays Harbor County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Island County**



The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.


**2016 Assessment Year**  
**Frequency Distribution of Ratio of Assessed Value to Sales Value**  
**Distribution for Jefferson County**



The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals.  
 The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide.  
 For example, the interval labeled .90 contains the range 0.875 to 0.925.


# 2016 Assessment Year

## Frequency Distribution of Ratio of Assessed Value to Sales Value Distribution for King County




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Kitsap County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
Frequency Distribution of Ratio of Assessed Value to Sales Value  
Distribution for Kittitas County**



The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.


**2016 Assessment Year  
Frequency Distribution of Ratio of Assessed Value to Sales Value  
Distribution for Klickitat County**



The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.




**2016 Assessment Year**  
**Frequency Distribution of Ratio of Assessed Value to Sales Value**  
**Distribution for Lewis County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Lincoln County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year**  
**Frequency Distribution of Ratio of Assessed Value to Sales Value**  
**Distribution for Mason County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year**  
**Frequency Distribution of Ratio of Assessed Value to Sales Value**  
**Distribution for Okanogan County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Pacific County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Pend Oreille County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Pierce County**



The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.


**2016 Assessment Year**  
**Frequency Distribution of Ratio of Assessed Value to Sales Value**  
**Distribution for San Juan County**



The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.




**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Skagit County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year**  
**Frequency Distribution of Ratio of Assessed Value to Sales Value**  
**Distribution for Skamania County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Snohomish County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals.  
 The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide.  
 For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year**  
**Frequency Distribution of Ratio of Assessed Value to Sales Value**  
**Distribution for Spokane County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Stevens County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year**  
**Frequency Distribution of Ratio of Assessed Value to Sales Value**  
**Distribution for Thurston County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year**  
**Frequency Distribution of Ratio of Assessed Value to Sales Value**  
**Distribution for Wahkiakum County**



The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.


**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Walla Walla County**



The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.




**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Whatcom County**




The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Whitman County**



The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.

**2016 Assessment Year  
 Frequency Distribution of Ratio of Assessed Value to Sales Value  
 Distribution for Yakima County**



The horizontal axis shows the percent of properties that fall within the interval. The vertical axis is divided into intervals. The vertical axis is labeled with the midpoint of each interval - each interval is .05 wide. For example, the interval labeled .90 contains the range 0.875 to 0.925.